

MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Rid O' Rust Rust Stain Remover

CAS # Mixture


Product use Rust Stain Remover

Manufacturer Pro Products LLC
7201 Engle Road


Fort Wayne, IN 46804-5875 US

Phone 260-483-2519

Emergency Phone: 1-800-424-9300 (CHEMTREC)







2. Hazards Identification

Emergency overview DANGER -- CORROSIVE

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes Causes chemical burns. May cause blindness.

Skin Causes chemical burns.

Inhalation May cause respiratory tract irritation.

Ingestion Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Target organs Eyes. Mucous membranes. Skin.

Chronic effects Prolonged or repeated exposure to dilutions can cause drying, defatting and dermatitis.

Signs and symptoms The product causes burns of eyes, skin and mucous membranes.

OSHA Regulatory Status This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Potential environmental effects This product has not been tested.

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
Oxalic acid	6153-56-6	7 - 13

4. First Aid Measures

First aid procedures

Eye contact Immediately flush with cool water. Remove contact lenses, if applicable, and continue

flushing for 15 minutes. Obtain medical attention immediately.

Skin contact Immediately flush with cool water for 15 minutes while removing contaminated clothing

and shoes. Discard or wash well before reuse. Obtain medical attention if irritation

persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical

attention.

Ingestion Do not induce vomiting. If vomiting occurs naturally, have victim lean forward to reduce

risk of aspiration. Never give anything by mouth if victim is unconscious, or is

convulsing. Obtain medical attention.

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

5. Fire Fighting Measures

Not flammable by WHMIS/OSHA criteria. Flammable properties

Extinguishing media

Suitable extinguishing media Dry chemical. Water spray. Alcohol foam. Carbon dioxide.

Unsuitable extinguishing media Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

May include and are not limited to: Oxides of carbon.

Explosion data

Sensitivity to mechanical

impact

Not available

Not available Sensitivity to static discharge

6. Accidental Release Measures

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do Personal precautions

not touch damaged containers or spilled material unless wearing appropriate protective

clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Do not contaminate water.

Methods for containment Stop leak if you can do so without risk. Prevent entry into waterways, sewers,

basements or confined areas.

Before attempting clean up, refer to hazard data given above. Small spills may be Methods for cleaning up

absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency

services and supplier for advice. Never return spills in original containers for re-use.

7. Handling and Storage

Use good industrial hygiene practices in handling this material. Do not get this material Handling

in your eyes, on your skin, or on your clothing.

Storage Keep out of the reach of children. Store in a closed container away from incompatible

materials.

8. Exposure Controls / Personal Protection

Exposure limits

Ingredient(s) **Exposure Limits**

Oxalic acid **ACGIH-TLV** TWA: 1 ma/m3

STEL: 2 mg/m3 **OSHA-PEL**

TWA: 1 mg/m3

Use only under good ventilation conditions or with respiratory protection. **Engineering controls**

Personal protective equipment

Eye / face protection Wear chemical goggles.

Rubber gloves. Confirm with a reputable supplier first. Hand protection Skin and body protection As required by employer code. Rubber apron recommended.

Respiratory protection Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

General hygiene considerations Use good industrial hygiene practices in handling this material. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

#18156 19-Jan-2011 Page 2 of 5 Issue date

9. Physical and Chemical Properties

Appearance Clear. Color Colorless Liquid **Form** Odor Odorless Odor threshold Not available Physical state Liquid На <1.0

Melting point Not available Not available Freezing point Not available **Boiling point** Not available Pour point Not available **Evaporation rate** Not available Flash point Not available **Auto-ignition temperature** Flammability limits in air, lower, % Not available by volume

Flammability limits in air, upper, %

by volume

Not available

Vapor pressure Not available Vapor density Not available

Specific gravity 1.05

Not available Octanol/water coefficient Percent volatile Not available

10. Stability and Reactivity

This product may react with oxidizing agents. Reactivity Hazardous polymerization does not occur. Possibility of hazardous reactions Chemical stability Stable under recommended storage conditions.

Conditions to avoid Do not mix with other chemicals.

Oxidizers. Caustics. Incompatible materials

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

11. Toxicological Information

Component analysis - LC50

LC50 Ingredient(s)

Not available Oxalic acid

Component analysis - Oral LD50

Ingredient(s) **LD50**

Oxalic acid 375 mg/kg rat

Effects of acute exposure

Eye Causes chemical burns. May cause blindness.

Skin Causes chemical burns.

May cause respiratory tract irritation. Inhalation

Ingestion Harmful if swallowed. May cause chemical burns to mouth, throat and stomach.

Sensitization Non-hazardous by WHMIS/OSHA criteria. Chronic effects Non-hazardous by WHMIS/OSHA criteria.

Not classified or listed by IARC, NTP, OSHA and ACGIH. Carcinogenicity

Mutagenicity Non-hazardous by WHMIS/OSHA criteria. Non-hazardous by WHMIS/OSHA criteria. Reproductive effects Non-hazardous by WHMIS/OSHA criteria. **Teratogenicity**

#18156 19-Jan-2011 Page 3 of 5 Issue date

12. Ecological Information	12 .	Eco	logical	Information
----------------------------	-------------	-----	---------	-------------

Not available **Ecotoxicity** Not available Persistence / degradability Bioaccumulation / accumulation Not available Not available Mobility in environmental media **Environmental effects** Not available **Aquatic toxicity** Not available Partition coefficient Not available Not available Chemical fate information Not available Other adverse effects

13. Disposal Considerations

Disposal instructions

Review federal, state/provincial, and local government requirements prior to disposal.

Waste from residues / unused products

Not available

Contaminated packaging

Not available

14. Transport Information

U.S. Department of Transportation (DOT)

Basic shipping requirements:

Proper shipping name Corrosive liquid, acidic, organic, n.o.s. (ETHANEDIOIC

ACID, DIHYDRATE)

Hazard class

UN number UN3265

Packing group

Additional information:

Special provisions IB3, T7, TP1, TP28

Packaging exceptions 154 ERG number 153



Basic shipping requirements:

Proper shipping name CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

(ETHANEDIOIC ACID, DIHYDRATE)

Hazard class 8

UN number UN3265

Packing group

Additional information:

Special provisions 16



15. Regulatory Information

Canadian federal regulations This product has been classified in accordance with the hazard criteria of the Controlled

Products Regulations and the MSDS contains all the information required by the

Controlled Products Regulations.

WHMIS status Controlled

WHMIS labeling



Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

Yes

chemical

US Federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

CERCLA (Superfund) reportable quantity

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Clean Air Act (CAA) Not available
Clean Water Act (CWA) Not available

State regulations This product does not contain a chemical known to the State of California to cause

cancer, birth defects or other reproductive harm.

U.S. - Pennsylvania - RTK (Right to Know) List

Oxalic acid 6153-56-6 Present

U.S. - Rhode Island - Hazardous Substance List

Oxalic acid 6153-56-6 Flammable

Inventory name

Country(s) or regionInventory nameOn inventory (yes/no)*CanadaDomestic Substances List (DSL)YesCanadaNon-Domestic Substances List (NDSL)No

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer Information contained herein was obtained from sources considered technically accurate

and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the

Yes

use of or reliance on any information contained in this document.

Issue date19-Jan-2011Effective date01-Apr-2011Expiry date01-Apr-2014

Prepared by Dell Tech Laboratories Ltd. (519) 858-5021

Other information For an updated MSDS, please contact the supplier/manufacturer listed on the first

page of the document.

#18156 Page 5 of 5 Issue date 19-Jan-2011